

End-of-Sales Announcement for

CES-2048CX, CER-2024C-RT, CER-2024F-RT and CER-2048CX-RT

This document provides end of sale announcement for:

- CES-2048CX
- CER-2024C-RT
- CER-2024F-RT
- CER-2048CX-RT

This letter is the formal updated version of all prior announcements regarding End-of-Sales (EOS) process for the products (and their associated Field Replacable Units) listed in this document.

Pursuant to the terms of your agreement with Extreme Networks®, this letter serves as your formal written End-of-Sales announcement, which will allow for appropriate planning and opportunity for last time purchases.

The recommended product replacements are listed in document below for your convenience.

Extreme Networks® will continue to offer and provide support for these products five (5) years from the End-of-Sales Announcement Date below for those customers with a valid support contract.

The objective of the Extreme Networks® account management team is to smoothly transition opportunities to the new products by planning to the following milestones:

- End-of-Sales Announcement Date: **February 03, 2015**
- End-of-Sales Final Order Date, Non-Cancelable, Non-Returnable Orders Due Date: **June 03, 2015**
- Last Customer Ship Date: **August 03, 2015**
- End-of-Service-Life (Hardware and Software) Date: **June 03, 2020**

Products Affected

Part Number	Product Description
NI-CES-2048CX-AC	CES with 48 ports of 1G
NI-CES-2048CX-MEPREM-AC	CES with 48 ports of 1G
NI-CES-2048CX-L3PREM-AC	CES with 48 ports of 1G

NI-CES-2048CX-MEPREM-DC	CES with 48 ports of 1G
NI-CES-2048CX-L3PREM-DC	CES with 48 ports of 1G
NI-CES-2048CX-DC	CES with 48 ports of 1G
NI-CER-2024C-RT-AC	CER-RT with 24 ports of 1G
NI-CER-2024C-RT-DC	CER-RT with 24 ports of 1G
NI-CER-2024F-RT-AC	CER-RT with 24 ports of 1G
NI-CER-2024F-RT-DC	CER-RT with 24 ports of 1G
NI-CER-2048CX-RT-AC	CER-RT with 48 ports of 1G
NI-CER-2048CX-RT-DC	CER-RT with 48 ports of 1G

Last Supported Operating System Version till End-of-Life Reached

The last supported Netron Operating System version will be NI 6.0 for following products:

- NI-CES-2048CX-AC
- NI-CES-2048CX-MEPREM-AC
- NI-CES-2048CX-L3PREM-AC
- NI-CES-2048CX-MEPREM-DC
- NI-CES-2048CX-L3PREM-DC
- NI-CES-2048CX-DC
- NI-CER-2024C-RT-AC
- NI-CER-2024C-RT-DC
- NI-CER-2024F-RT-AC
- NI-CER-2024F-RT-DC
- NI-CER-2048CX-RT-AC
- NI-CER-2048CX-RT-DC

Definitions

- **End-of-Sales Announcement Date:** Date of official End-of-Sales notice.
- **End-of-Sales Date:** The last date to order the product through Extreme Networks point-of-sale mechanisms. The product is no longer offered for sale after this date.

- **End-of- Service-Life Software Date:** The last date software fixes will be supported on a hardware product.
- **End-of- Service-Life Hardware Date:** The last date a product will be supported by Extreme Networks.

End-of-Sales Milestone

Part Number	EOS Announce Date	EOS Date	EOS Last Ship Date	Last Supported Release Stream (Projected)	EOSL SW Date	EOSL HW Date
NI-CES-2048CX-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CES-2048CX-MEPREM-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CES-2048CX-L3PREM-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CES-2048CX-MEPREM-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CES-2048CX-L3PREM-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CES-2048CX-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2024C-RT-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2024C-RT-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2024F-RT-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2024F-RT-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2048CX-RT-AC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020
NI-CER-2048CX-RT-DC	02/05/2015	06/03/2015	06/03/2015	NI 6.0	06/03/2020	06/03/2020

** Note: Any changes to above timeline will be communicated via a revised Announcement*

*** Note: product shipment subject to availability*

Replacement Products

Legacy Part Number	Suggested Solution Level Replacement Number	Product Name	Product Description
NI-CES-2048CX-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN

NI-CES-2048CX-MEPREM-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-MEU-SW	S/W,PP,ME PREM LIC CES 24PORT SWITCHES	Metro Edge Premium software upgrade for Netlon CES 2000 24-port switches (Netlon CES 2024C, Netlon CES 2024F)
NI-CES-2048CX-L3PREM-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for Netlon CES 2000 24-port switches (Netlon CES 2024C, Netlon CES 2024F)
NI-CES-2048CX-MEPREM-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for Netlon CES 2000 24-port switches (Netlon CES 2024C, Netlon CES 2024F)
NI-CES-2048CX-L3PREM-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for Netlon CES 2000 24-port switches (Netlon CES 2024C, Netlon CES 2024F)
NI-CES-2048CX-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
NI-CER-2024C-RT-AC	BR-CER-2024C-4X-RT-AC	CER 2024C-4X-RT,1 500W AC,BASE SW	CER2024C-4X-RT includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet with 4 fixedports of 10Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software". Uses XNI-CE2000-FAN
NI-CER-2024C-RT-DC	BR-CER-2024C-4X-RT-DC	CER 2024C-4X-RT,1 500W DC,BASE SW	CER2024C-4X-RT includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet with 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software". Uses XNI-CE2000-FAN
NI-CER-2024F-RT-AC	BR-CER-2024F-4X-RT-AC	CER 2024F-4X-RT,1 500W AC,BASE SW	CER2024F-4X-RT includes24 SFP ports of 100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet with 4 fixedports of 10Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software". Uses XNI-CE2000-FAN

NI-CER-2024F-RT-DC	BR-CER-2024F-4X-RT-DC	CER 2024F-4X-RT, 1 500W DC, BASE SW	CER2024F-4X-RT includes 24 SFP ports of 10/100/1000Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet with 4 fixed ports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software". Uses XNI-CE2000-FAN
NI-CER-2048CX-RT-AC	BR-CER-2024C-4X-RT-AC	CER 2024C-4X-RT, 1 500W AC, BASE SW	CER2024C-4X-RT includes 24 RJ45 ports of 10/100/1000Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet with 4 fixed ports of 10Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software". Uses XNI-CE2000-FAN
NI-CER-2048CX-RT-DC	BR-CER-2024C-4X-RT-DC	CER 2024C-4X-RT, 1 500W DC, BASE SW	CER2024C-4X-RT includes 24 RJ45 ports of 10/100/1000Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet with 4 fixed ports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software". Uses XNI-CE2000-FAN

*** Note: Product replacements are not a direct replacement. These are recommended solution level replacements which may or may not provide required replacement, depending on customer's network requirement.**

**** Note: Product replacement shipments are not guaranteed. Subject to availability of equipment.**

Terms & Conditions

Orders are subject to product availability. Extreme Networks shall not have any liability for failure to meet a delivery date.

Ongoing Support

During the support period, replacement of product and/or repairs may be limited by availability of components. Extreme Networks reserves the right to change prices and/or discontinue any service plans at any time on end-of-sale product. For detailed information regarding service pricing on this end-of-sale product, please consult your local Extreme Networks sales representative for the most recent price list.

Sincerely
Extreme Networks

Contact Information

For more product information, please contact your account manager

For service information, please contact Services via servicemarketing@extremenetworks.com

Terms and Conditions:

- All terms and conditions of sale shall be governed by Customer's (or Channel Partner's, where applicable) applicable agreement or Extreme's Standard Terms and Conditions of Sale and Services in the absence of such a written agreement.
- Valid and existing contractual discounts, if any, will continue to apply where applicable.

CONFIDENTIAL INFORMATION -- PROPRIETARY RIGHTS NOTICE

This document is for the sole use of the Extreme Networks' authorized resellers and distributors and contains confidential and proprietary information of Extreme Networks. This document is provided for your business use only and is subject to the terms of any product purchase and non-disclosure agreements that you have with Extreme Networks. You may not disclose or distribute this document to any third party without the prior written consent of Extreme Networks.

This product roadmap represents Extreme Networks current product direction. All product releases will be on a when-and-if available basis. Actual feature development and timing of releases will be at the sole discretion of Extreme Networks. Not all features are supported on all platforms. Presentation of the product roadmap does not create a commitment by Extreme Networks to deliver a specific feature. Contents of this roadmap are subject to change without notice.