

End-of-Sales Announcement for CES-2024C and CES-2024F

This document provides end of sale announcement for:

- **CES-2024C**
- **CES-2024F**

This letter is the formal updated version of all prior announcements regarding End-of-Sales (EOS) process for the products (and their associated Field Replacable Units) listed in this document.

Pursuant to the terms of your agreement with Extreme Networks®, this letter serves as your formal written End-of-Sales announcement, which will allow for appropriate planning and opportunity for last time purchases.

The recommended product replacements are listed in document below for your convenience.

Extreme Networks® will continue to offer and provide support for these products five (5) years from the End-of-Sales Announcement Date below for those customers with a valid support contract.

The objective of the Extreme Networks® account management team is to smoothly transition opportunities to the new products by planning to the following milestones:

- End-of-Sales Announcement Date: **October 23, 2014**
- End-of-Sales Final Order Date, Non-Cancelable, Non-Returnable Orders Due Date: **April 22, 2015**
- Last Customer Ship Date: **April 22, 2015**
- End-of-Service-Life (Hardware and Software) Date: **April 22, 2020**

Products Affected

Part Number	Product Description
NI-CES-2024C-AC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and BASE software
NI-CES-2024C-MEPREM-AC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and Metro Edge software
NI-CES-2024C-L3PREM-AC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional

	slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and Layer 3 software
NI-CES-2024C-DC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC), and BASE software
NI-CES-2024C-MEPREM-DC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC), and Metro Edge software
NI-CES-2024C-L3PREM-DC	NetIron CES 2024C includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC), and Layer 3 software
NI-CES-2024F-AC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and BASE software
NI-CES-2024F-MEPREM-AC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and Metro Edge software
NI-CES-2024F-L3PREM-AC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W AC power supply (RPS9), and Layer 3 software
NI-CES-2024F-DC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC), and BASE software
NI-CES-2024F-MEPREM-DC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC) (RPS9DC), and Metro Edge software
NI-CES-2024F-L3PREM-DC	NetIron CES 2024F includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet for uplink connectivity. Optional slot for 2 ports of 10 Gigabit Ethernet XFP, 500W DC power supply (RPS9DC), and Layer 3 software
NI-CES-2024-2X10G	NetIron CES 2000 Series 2x10G XFP uplink for 24-port NetIron CES 2000 Series switches (both AC and DC configurations)

Last Supported Operating System Version till End-of-Life Reached

The last supported NetIron Operating System version will be NI 6.2 for following products:

- NI-CES-2024C-AC
- NI-CES-2024C-MEPREM-AC
- NI-CES-2024C-L3PREM-AC
- NI-CES-2024C-DC
- NI-CES-2024C-MEPREM-DC
- NI-CES-2024C-L3PREM-DC

- NI-CES-2024F-AC
- NI-CES-2024F-MEPREM-AC
- NI-CES-2024F-L3PREM-AC
- NI-CES-2024F-DC
- NI-CES-2024F-MEPREM-DC
- NI-CES-2024F-L3PREM-DC
- NI-CES-2024-2X10G

Definitions

- **End-of-Sales Announcement Date:** Date of official End-of-Sales notice.
- **End-of-Sales Date:** The last date to order the product through Extreme Networks point-of-sale mechanisms. The product is no longer offered for sale after this date.
- **End-of-Service-Life Software Date:** The last date software fixes will be supported on a hardware product.
- **End-of-Service-Life Hardware Date:** The last date a product will be supported by Extreme Networks.

End-of-Sales Milestone

Part Number	EOS Announce Date	EOS Date	EOS Last Ship Date	Last Supported Release Stream (Projected)	EOSL SW Date	EOSL HW Date
NI-CES-2024C-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024C-MEPREM-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024C-L3PREM-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024C-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024C-MEPREM-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024C-L3PREM-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024F-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024F-MEPREM-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024F-L3PREM-AC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024F-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024F-MEPREM-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020

NI-CES-2024F-L3PREM-DC	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020
NI-CES-2024-2X10G	10/23/2014	04/22/2015	04/22/2015	NI 6.2	04/22/2020	04/22/2020

** Note: Any changes to above timeline will be communicated via a revised Announcement*

**** Note: product shipment subject to availability**

Replacement Products

Legacy Part Number	Suggested Solution Level Replacement Number	Product Name	Product Description
NI-CES-2024C-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN
NI-CES-2024C-MEPREM-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-MEU-SW	S/W,PP,ME PREM LIC CES 24PORT SWITCHES	Metro Edge Premium software upgrade for NetIron CES 2000 24-port switches (NetIron CES 2024C, NetIron CES 2024F)
NI-CES-2024C-L3PREM-AC	BR-CES-2024C-4X-AC	CES 2024C-4X,1 500W AC,BASE SW	CES 2024C-4X includes 24 RJ45 ports of 10/100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for NetIron CES 2000 24-port switches (NetIron CES 2024C, NetIron CES 2024F)
NI-CES-2024C-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
NI-CES-2024C-MEPREM-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-MEU-SW	S/W,PP,ME PREM LIC CES 24PORT SWITCHES	Metro Edge Premium software upgrade for NetIron CES 2000 24-port switches (NetIron CES 2024C, NetIron CES 2024F)

NI-CES-2024C-L3PREM-DC	BR-CES-2024C-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for Netlron CES 2000 24-port switches (Netlron CES 2024C, Netlron CES 2024F)
NI-CES-2024F-AC	BR-CES-2024F-4X-AC	CES 2024F-4X,1 500W AC,BASE SW	CES 2024F-4X includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI- CE2000-FAN
	BR-SLX-9540-24S-AC-R	24X10GE+24X1GE SWITCH AC PRTSD EXH	SLX 9540-24S Switch AC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024F-MEPREM-AC	BR-CES-2024F-4X-AC	CES 2024F-4X,1 500W AC,BASE SW	CES 2024F-4X includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI- CE2000-FAN
	NI-CES-2024-MEU-SW	S/W,PP,ME PREM LIC CES 24PORT SWITCHES	Metro Edge Premium software upgrade for Netlron CES 2000 24-port switches (Netlron CES 2024C, Netlron CES 2024F)
	BR-SLX-9540-24S-AC-R	24X10GE+24X1GE SWITCH AC PRTSD EXH	SLX 9540-24S Switch AC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024F-L3PREM-AC	BR-CES-2024F-4X-AC	CES 2024F-4X,1 500W AC,BASE SW	CES 2024F-4X includes 24 SFP ports of 100/1000 Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet ports, 4 fixed ports of 10 Gigabit Ethernet SFP+, 500W AC power supply (RPS9), and BASE software. Uses XNI- CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for Netlron CES 2000 24-port switches (Netlron CES 2024C, Netlron CES 2024F)
	BR-SLX-9540-24S-AC-R	24X10GE+24X1GE SWITCH AC PRTSD EXH	SLX 9540-24S Switch AC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024F-DC	BR-CES-2024F-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	BR-SLX-9540-24S-DC-R	24X10GE+24X1GE SWITCH DC PRTSD EXH	SLX 9540-24S Switch DC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024F-MEPREM-DC	BR-CES-2024F-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes24 RJ45 portsof 10/100/1000Mbps Ethernet with 4 combination RJ45/SFPGigabit Ethernet Ports, 4 fixedports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-MEU-SW	S/W,PP,ME PREM LIC CES 24PORT SWITCHES	Metro Edge Premium software upgrade for Netlron CES 2000 24-port switches (Netlron CES 2024C, Netlron CES 2024F)

	BR-SLX-9540-24S-DC-R	24X10GE+24X1GE SWITCH DC PRTSD EXH	SLX 9540-24S Switch DC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024F-L3PREM-DC	BR-CES-2024F-4X-DC	CES 2024C-4X,1 500W DC,BASE SW	CES2024C-4X includes 24 RJ45 ports of 10/100/1000Mbps Ethernet with 4 combination RJ45/SFP Gigabit Ethernet Ports, 4 fixed ports of 10Gigabit Ethernet SFP+, 500W DC power supply (RPS9DC), and BASE software. Uses XNI-CE2000-FAN
	NI-CES-2024-L3U-SW	S/W,PP,L3 PREM LIC CES 24PORT SWITCHES	Layer 3 Premium software upgrade for NetTron CES 2000 24-port switches (NetTron CES 2024C, NetTron CES 2024F)
	BR-SLX-9540-24S-DC-R	24X10GE+24X1GE SWITCH DC PRTSD EXH	SLX 9540-24S Switch DC with Back to Front airflow (Non-port Side to port side airflow). Supports 24x10GE/1GE + 24x1GE ports.
NI-CES-2024-2X10G	None	N/A	N/A

*** Note: Product replacements are not a direct replacement. These are recommended solution level replacements which may or may not provide required replacement, depending on customer's network requirement.**

**** Note: Product replacement shipments are not guaranteed. Subject to availability of equipment.**

Terms & Conditions

Orders are subject to product availability. Extreme Networks shall not have any liability for failure to meet a delivery date.

Ongoing Support

During the support period, replacement of product and/or repairs may be limited by availability of components. Extreme Networks reserves the right to change prices and/or discontinue any service plans at any time on end-of-sale product. For detailed information regarding service pricing on this end-of-sale product, please consult your local Extreme Networks sales representative for the most recent price list.

Sincerely
Extreme Networks

Contact Information

For more product information, please contact your account manager

For service information, please contact Services via servicemarketing@extremenetworks.com

Terms and Conditions:

- All terms and conditions of sale shall be governed by Customer's (or Channel Partner's, where applicable) applicable agreement or Extreme's Standard Terms and Conditions of Sale and Services in the absence of such a written agreement.
- Valid and existing contractual discounts, if any, will continue to apply where applicable.

CONFIDENTIAL INFORMATION -- PROPRIETARY RIGHTS NOTICE

This document is for the sole use of the Extreme Networks' authorized resellers and distributors and contains confidential and proprietary information of Extreme Networks. This document is provided for your business use only and is subject to the terms of any product purchase and non-disclosure agreements that you have with Extreme Networks. You may not disclose or distribute this document to any third party without the prior written consent of Extreme Networks.

This product roadmap represents Extreme Networks current product direction. All product releases will be on a when-and-if available basis. Actual feature development and timing of releases will be at the sole discretion of Extreme Networks. Not all features are supported on all platforms. Presentation of the product roadmap does not create a commitment by Extreme Networks to deliver a specific feature. Contents of this roadmap are subject to change without notice.